

Page 1 of 8

Date of Issue: Jan 22, 2020 Version No.: 2.0 Printed on: January 28, 2020

Section 1: Identification

PRODUCT NAME: CLEAR-OUT CRAWLING INSECT AEROSOL

PRODUCT USE: A non-repellent crawling insect spray for cockroaches and ants

COMPANY NAME & Sherwood Chemicals Australasia Pty Ltd

CONTACT DETAILS Level 3, 1060 Hay St, West Perth, WA, 6005, AUSTRALIA

PHONE: +61 8 9219 4683

FAX: +61 8 9219 4672

Email: contact@sherwoodchemicals.com.cu

Website: http://www.sherwoodchemicals.com.au

Aerosol

EMERGENCY TELEPHONE

NUMBER:

+61 421 667972

Section 2: Hazards identification

CLASSIFICATION AS HAZARDOUS ACCORDING TO SAFE WORK AUSTRALIA CRITERIA:

Acute toxicity – Oral Acute toxicity – Dermal Skin corrosion / Irritation Aspiration hazard Category 5 Category 5 Category 3 Category 1

Category 1

Category 3

Category 3

Hazardous to the Aquatic environment-short term (Acute) hazard Hazardous to the Aquatic environment-long term (Chronic) hazard

PICTOGRAMS OF GHS:





SIGNAL WORD: Danger

HAZARD STATEMENT:

Page 2 of 8

Date of Issue: JAN 22, 2020 Version No.: 1.0 Printed on: January 28, 2020

PHYSICAL: : Extremely Flammable aerosol.

H222 : Pressured container: may burst if heated.

H229

HEALTH: : May be fatal if swallowed and enters airways.

H304 : Causes mild skin irritation.

H316

ENVIRONMENT: : Harmful to aquatic life.

H402 : Harmful to aquatic life with long lasting effects.

H412

PRECAUTIONARY STATEMENT:

GENERAL: : If medical advice is needed, have product container or label at hand.

P101 : Keep out of reach of children.

P102 : Read label before use.

P103

PREVENTION: : Keep away from heat, hot surface, sparks, open flames and other ignition

P210 sources, No smoking.

: Do not spray on an open flame or other ignition source.

P211 : Do not pierce or burn, even after use.

P251 : Avoid release to the environment. (if this is not the intended use.)

P273

RESPONSE: : IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P301+P310 : If skin irritation occurs: Get medical advice/attention.

P332+P313

STORAGE: : Store locked up.

P405 : Protect from sunlight, Do not expose to temperature exceeding 50oC / 122oF.

P410 + P412

DISPOSAL: : Dispose of contents/container to approved method and / or local regulations.

P501

Section 3: Composition / Information on Ingredients

Ingredient	CAS Number	EC Number	Concentration %
FIPRONIL	120068-37-3	601-663-4	0.06
ISOPROPYL ALCOHOL	67-63-0	200-661-7	1.00 - 10.00
DISTILLATES (PETROLEUM), HYDROTREATED LIGHT	64742-47-8	926-141-6	30.00 - 60.00
LPG (Liquefied petroleum gas)	68476-85-7	270-704-2	30.00 - 60.00

Page 3 of 8

Date of Issue: JAN 22, 2020 Version No.: 1.0 Printed on: January 28, 2020

Section 4: First Aid Measures

4.1 Description of first aid measures

EYE: : If in eyes, hold eyelids apart and flush continuously with running water. Continue flushing

until advised to stop by a Poisons Information Centre, a doctor, or for at least 15 minutes.

INHALATION: : If inhaled, remove from contaminated area. Apply artificial respiration if not breathing.

SKIN: : If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with

running water.

INGESTION: : For advice, contact a Poisons Information Centre on 13 11 26 (Australia Wide) or a doctor

(at once). If swallowed, do not induce vomiting. Ingestion is considered unlikely due to

product form.

FIRST AID FACILITIES: : Eye wash facilities and safety shower should be available.

4.2 Most important symptoms and effects, both acute and delayed

May be harmful if swallowed or in contact with skin. May cause slight skin and eye irritation. This product may have the potential to cause adverse health effects if intentionally misused (e.g. deliberately inhaling contents). Use safe work practices to avoid eye or skin contact and inhalation. Over exposure may result in central nervous system (CNS) effects.

4.3 Immediate medical attention and special treatment needed

Treat symptomatically.

Section 5: Fire Fighting Measures

5.1 Extinguishing media

Dry agent, carbon dioxide or foam. Prevent contamination of drains and waterways.

5.2 Special Hazards arising from the substance or mixture

Highly flammable aerosol. May evolve toxic gases (carbon oxides, hydrocarbons) when heated to decomposition. Aerosol may explode at temperatures exceeding 50°C. Eliminate all ignition sources including cigarettes, open flames, spark producing switches/tools, heaters, naked lights, pilot lights, mobile phones, etc when handling.

5.3 Advice for firefighters

Evacuate area and contact emergency services. Toxic gases may be evolved in a fire situation. Remain upwind and notify those downwind of hazard. Wear full protective equipment including Self Contained Breathing Apparatus (SCBA) when combating fire. Use waterfog to cool intact containers and nearby storage areas.

Page 4 of 8

Date of Issue: JAN 22, 2020 Version No.: 1.0 Printed on: January 28, 2020

5.4 Hazchem code

2YE

2 Fine Water Spray.

Y Risk of violent reaction or explosion. Wear full fire kit and breathing apparatus. Contain spill and run-off.

E Evacuation of people in and around the immediate vicinity of the incident should be considered.

Section 6: Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear Personal Protective Equipment (PPE) as detailed in section 8 of the SDS. Clear area of all unprotected personnel. Ventilate area where possible.

6.2 Environmental precautions

Prevent product from entering drains and waterways.

6.3 Methods of cleaning up

Contain spillage, then cover / absorb spill with non-combustible absorbent material (vermiculite, sand, or similar), collect and place in suitable containers for disposal.

6.4 Reference to other sections

See Sections 8 and 13 for exposure controls and disposal.

Section 7: Handling and Storage

7.1 Precautions for safe handling

Before use carefully read the product label. Use of safe work practices are recommended to avoid eye or skin contact and inhalation. Observe good personal hygiene, including washing hands before eating. Prohibit eating, drinking and smoking in contaminated areas.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry, well ventilated area, removed from incompatible substances, heat or ignition sources and foodstuffs. Ensure containers are adequately labelled, protected from physical damage and sealed when not in use.

7.3 Specific end uses

No information provided.

Section 8: Exposure Controls and Personal Protection

8.1 Control parameters Exposure standards

Togradiont	Reference	TWA		STEL	
Ingredient		ppm	Mg/m³	ppm	Mg/m³
Isopropyl alcohol	SWA (AUS)	400	983	500	1230
Liquefied petroleum gas (LPG)	SWA (AUS)	1000	1800	1000	1800
Mineral Oil Mist	SWA (AUS)		5		

Biological limits

Page 5 of 8

Date of Issue: JAN 22, 2020 Version No.: 1.0 Printed on: January 28, 2020

Ingredient	Determinant	Sampling Time	BEI
ISOPROPYL ALCOHOL	Acetone in urine	End of shift end of workweek	40 mg/L

Reference: ACGIH Biological Exposure Indices

8.2 Exposure controls

Engineering controls Avoid inhalation. Use in well ventilated areas. Flammable/explosive vapours may

> accumulate in poorly ventilated areas. Vapours are heavier than air and may travel some distance to an ignition source and flash back. Maintain vapour levels below the

recommended exposure standard.

PPE

When using large quantities or where heavy contamination is likely, wear safety glasses. Eve / Face Hands

When using large quantities or where heavy contamination is likely, wear PVC or rubber

gloves.

Body Not required under normal conditions of use. Respiratory Not required under normal conditions of use.

Section 9: Physical and Chemical Properties

APPEARANCE: : Aerosol, fine clear spray.

ODOUR: : Slight odour. : Not available. pH: : Not available. FREEZING POINT: : Not available. **BOILING**

POINT/RANGE:

FLASH POINT: : < 23°C

EVAPORATION RATE: : Not available.

: Extremely Flammable. FLAMMABILITY:

VAPOUR PRESSURE: : Not available. **VAPOUR DENSITY:** : Not available. **SOLUBILITY IN WATER** : Not available.

AT 25°C:

: 0.77 - 0.80 Kg/Lt. @ 30°C (Concentrated part). **DENSITY:** : Not available.

PARTITION COEFICIENT

n-OCTANOL/WATER:

FLAMMABLE LIMITS:

: Not relevant (LEL)%V

(UEL)%V : Not relevant **AUTO-IGNITION** : Not available.

TEMPERATURE:

: Not available. **DECOMPOSITION**

TEMPERATURE:

VISCOSITY: : Not available.

Section 10: Stability and Reactivity

10.1 Reactivity

Carefully review all information provided in sections 10.2 to 10.6.

10.2 Chemical stability

Stable under recommended conditions of storage

Page 6 of 8

Date of Issue: JAN 22, 2020 Version No.: 1.0 Printed on: January 28, 2020

10.3 Possibility of hazardous reactions

Polymerization will not occur.

10.4 Conditions to avoid

Avoid heat, sparks, open flames and other ignition sources.

10.5 Incompatible materials

Incompatible with oxidising agents (e.g. hypochlorites), acids (e.g. nitric acid), alkalis (e.g. sodium hydroxide), heat and ignition sources.

10.6 Hazardous decomposition products

May evolve carbon oxides and hydrocarbons when heated to decomposition.

Section 11: Toxicological Information

Acute Toxicity

Acute Toxicity (Oral)	: LD ₅₀ = 4,669.23 mg/Kg, rat => Category 5.		
Acute Toxicity (Dermal)	: LD ₅₀ = 4,826.92 mg/Kg, rabbit => Category 5.		
Acute Toxicity (Inhalation)	: LC ₅₀ = 5.85 mg/l, rat, 4 hrs. => Not classified.		

Skin Corrosion/Irritation

: Category 3 => Causes mild skin irritation.

Serious Eye Damage/Eye

Irritation

: Not classified.

Respiratory or Skin

Sensitization

Respiratory sensitization	: Not classified.
Skin sensitization	: Not classified.

Germ Cell Mutagenicity : Not classified.

: Not classified. Carcinogenicity

Reproductive toxicity : Not classified.

Specific Target Organ Toxicity/Single Exposure

: Not classified.

Specific Target Organ

Toxicity/Repeated Exposure

: Not classified.

Aspiration Hazard

: Category 1; May be harmful if swallowed and enter airways.

Page 7 of 8

Date of Issue: JAN 22, 2020 Version No.: 1.0 Printed on: January 28, 2020

Section 12: Ecological Information

TOXICITY: HAZARDOUS TO THE AQUATIC ENVIRONMANT

Short-Term (Acute) Hazard	: Category 3 => Harmful to aquatic life.
Long-term (Chronic) Hazard	: Category 3 => Harmful to aquatic life with long lasting
	effects.

PERSISTENCE AND

DEGRADABILITY: : No information provided.

BIOACCUMULATIVE POTENCIAL: : No information provided.

MOBILITY IN SOIL: : No information provided.

OTHER ADVERSE EFFECTS: : No information provided.

Section 13: Disposal Considerations

13.1 Waste treatment methods

Waste disposal For small amounts, absorb contents with sand or similar and dispose of to an approved

landfill site. Do not puncture or incinerate aerosol cans. Contact the

manufacturer/supplier for additional information (if required).

Legislation Dispose of in accordance with relevant local legislation.

Section 14: Transport Information



	LAND TRANSPORT (ADG)	SEA TRANSPORT (IMDG/IMO)	AIR TRANSPORT (IATA/ICAO)
14.1 UN Number	1950	1950	1950
14.2 Proper Shipping name	AEROSOLS	AEROSOLS	AEROSOLS
14.3 Transport hazard class	2.1	2.1	2.1
14.4 Packing group	None allocated.	None allocated.	None allocated.

14.5 Environmental hazards

Not a Marine Pollutant

14.6 Special precautions for user

Hazchem code2YEGTEPG2D1EMSF-D, S-U

Page 8 of 8

Date of Issue: JAN 22, 2020 Version No.: 1.0 Printed on: January 28, 2020

Section 15: Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Poison schedule Classified as a Schedule 5 (S5) Standard for the Uniform Scheduling of Medicines and Poisons

(SUSMP).

Classifications Safework Australia criteria is based on the Globally Harmonised System (GHS) of Classification

and Labelling of Chemicals.

Inventory listings AUSTRALIA: AICS (Australian Inventory of Chemical Substances)

All components are listed on AICS, or ae exempt.

Section 16: Other Information

Sherwood Chemicals Australasia Pty Ltd

Address: Level 3, 1060 Hay Street, WEST PERTH 6005 AUSTRALIA Tel: +61 8 9219 4683 Fax: +61 8 9219 4672 **Web:** http://www.sherwoodchemicals.com.au Emergency Telephone number: All hours +61 421 667972

SDS last update: Jan 22, 2020

Disclaimer

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall Sherwood Chemicals be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Sherwood Chemicals has been advised of the possibility of such damages.

END OF SDS